

---

# Vexy - Generate VEX in CDX

*Release 0.3.1*

**Paul Horton**

**Mar 03, 2023**



## CONTENTS:

<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Usage</b>	<b>5</b>
<b>3</b>	<b>Configuration</b>	<b>7</b>
3.1	Configuration File Format . . . . .	7
<b>4</b>	<b>Data Sources</b>	<b>9</b>
4.1	OSS Index . . . . .	9
4.2	OSV.dev . . . . .	9
<b>5</b>	<b>Support</b>	<b>11</b>
5.1	Python Version Support . . . . .	11
<b>6</b>	<b>Changelog</b>	<b>13</b>
6.1	v0.3.1 (2023-03-03) . . . . .	13
6.2	v0.3.0 (2022-08-02) . . . . .	13
6.3	v0.2.0 (2022-07-14) . . . . .	13
6.4	v0.1.7 (2022-07-13) . . . . .	14
6.5	v0.1.6 (2022-07-13) . . . . .	14
6.6	v0.1.5 (2022-07-13) . . . . .	14
6.7	v0.1.4 (2022-07-13) . . . . .	14
6.8	v0.1.3 (2022-07-13) . . . . .	14
6.9	v0.1.2 (2022-07-13) . . . . .	15
6.10	v0.1.1 (2022-07-13) . . . . .	15
6.11	v0.1.0 (2022-07-13) . . . . .	15
<b>7</b>	<b>API Reference</b>	<b>17</b>
7.1	<code>vexy</code> . . . . .	17
<b>Python Module Index</b>		<b>29</b>
<b>Index</b>		<b>31</b>



Software Bill of Materials (SBOMs) are gaining traction and are a great way to codify what dependencies your software relies on from the Open Source ecosystems (and internal libraries too!).

The SBOM for a given release of a given piece of software should be static in terms of the components that comprise that release.

[CycloneDX](#), in this authors view - the best Bill of Materials format, also allows for [Vulnerability Exploitability Exchange](#) (or VEX) information to be included in your BOM.

Known vulnerabilities change over time - we always know more about the security posture of Open Source components tomorrow than we did today. So how do we keep our BOMs updated with this information?

[CycloneDX](#) also allows for BOMs to interlink for the above reason. The best way to manage this scenario is to generate a BOM that describes your software release, excluding VEX data, and then have a tool (perhaps *vexy*?) produce you a VEX document (in [CycloneDX](#) format) that links back to your SBOM.

Did I confuse you? If so - read more about [Independent BOM and VEX here](#).



---

**CHAPTER  
ONE**

---

**INSTALLATION**

Install from [pypi.org](https://pypi.org) as you would any other Python module using your preferred package manager:

```
pip install vexy
```



---

## CHAPTER TWO

---

## USAGE

vexy is designed to be run as a standalone application.

Once installed, you can call the tool via the following methods:

```
$ python3 -m vexy  
$ vexy
```

The full documentation can be issued by running with `--help`:

```
$ vexy --help  
usage: vexy [-h] -c VEXY_CONFIG [-q] [-X] -i FILE_PATH [--format {xml,json}] [--schema-  
version {1.4}] [-o FILE_PATH] [--force]  
  
Vexy VEX Generator  
  
options:  
  -h, --help            show this help message and exit  
  -c VEXY_CONFIG, --config VEXY_CONFIG  
                        Configuration file for Vexy defining data sources to use and  
                        their configuration.  
  -q                  Quiet - no console output  
  -X                  Enable debug output  
  
Input CycloneDX BOM:  
  Where Vexy shall obtain its input  
  
  -i FILE_PATH, --in-file FILE_PATH  
                        CycloneDX BOM to read input from. Use "-" to read from STDIN.  
  
VEX Output Configuration:  
  Choose the output format and schema version  
  
  --format {xml,json}  The output format for your SBOM (default: xml)  
  --schema-version {1.4}  
                        The CycloneDX schema version for your VEX (default: 1.4)  
  -o FILE_PATH, --o FILE_PATH, --output FILE_PATH  
                        Output file path for your SBOM (set to '-' to output to STDOUT)  
  --force              If outputting to a file and the stated file already exists, it  
                        will be overwritten.
```



---

CHAPTER  
**THREE**

---

## CONFIGURATION

`Vexy` will query the data sources you configured to obtain current known vulnerability information that relates to the Open Source components included in your input SBOM.

Data Sources are configured in a YAML formatted file which is supplied to `vexy` using the `-c` or `--config` flag at the command line. A configuration file **MUST** be supplied to run `vexy`.

### 3.1 Configuration File Format

Currently, the configuration file is used only to describe which data sources you would like `vexy` to utilise and any configuration that datasource requires - e.g. authentication details.

An example configuration file might look as follows:

```
sources:  
  ossindex:  
    username: <your-username>  
    password: <your-password>  
  osv:
```

For details of what data sources are available and their specific configuration - see [Data Sources](#).



---

CHAPTER  
FOUR

---

## DATA SOURCES

### 4.1 OSS Index

- See <https://ossindex.sonatype.org>
- Supports authentication: ✓
- Requires authentication:

#### 4.1.1 Configuration

```
sources:  
  ossindex:  
    username: <your-username>  
    password: <your-password>
```

### 4.2 OSV.dev

- See <https://osv.dev/>
- Supports authentication:
- Requires authentication:

#### 4.2.1 Configuration

```
sources:  
  osv:
```



**SUPPORT**

If you run into issues utilising this library, please raise a [GitHub Issue](#). When raising an issue please include as much detail as possible including:

- Version of `vexy` you have installed
- Input(s)
- Expected Output(s)
- Actual Output(s)

## 5.1 Python Version Support

We endeavour to support all functionality for all [current actively supported Python versions](#). However, some features may not be possible/present in older Python versions due to their lack of support - which are noted below.



## CHANGELOG

### 6.1 v0.3.1 (2023-03-03)

#### 6.1.1 Fix

- Handle parsing of BOM more safely (`^39d6f78` <<https://github.com/madpah/veyx/commit/39d6f78fd517d4cfe53fa07214f69947762d71a0>>`\_)
- Update to latest contracts with cyclonedx-python-lib (`^fda01e0` <<https://github.com/madpah/veyx/commit/fda01e047717dc1bf952f07cddd5ad2d551e9e35>>`\_)
- Bump to latest rc of cyclonedx-python-lib (`^8e3d05a` <<https://github.com/madpah/veyx/commit/8e3d05a8cc0d1d50d317f7f1eb5dbceb6fe093f1>>`\_)
- Handle parsing of BOM more safely (`^a89862a` <<https://github.com/madpah/veyx/commit/a89862a039ad918f278a57b64197fa9009fa28e0>>`\_)

### 6.2 v0.3.0 (2022-08-02)

#### 6.2.1 Feature

- Added OSV.dev as data source (`^402c669` <<https://github.com/madpah/veyx/commit/402c669ab3a07a7ca485e860635504789107a0f5>>`\_)

### 6.3 v0.2.0 (2022-07-14)

#### 6.3.1 Feature

- Add veyx as a Tool to generated VEX documents (`^f2378a8` <<https://github.com/madpah/veyx/commit/f2378a820b88a6ee10036d4f771b5dd0e11925cb>>`\_)
- Add veyx as a Tool to generated VEX documents (`^70ea250` <<https://github.com/madpah/veyx/commit/70ea250609ed8bf673637483691406d6b56f9dd8>>`\_)

## 6.3.2 Fix

- Disable mypy warn\_unused\_ignores to get mypy passing on all variants (``e331e72`` <<https://github.com/madpah/vexy/commit/e331e72aac0002543066151841bbbeb661d5be97>>`\_)

## 6.4 v0.1.7 (2022-07-13)

### 6.4.1 Fix

- Use a known working release pipeline (``c51e613`` <<https://github.com/madpah/vexy/commit/c51e6132f5a653385486eda5efa54faece7719e7>>`\_)

## 6.5 v0.1.6 (2022-07-13)

### 6.5.1 Fix

- Release CI pipeline syntax error (``b5b8529`` <<https://github.com/madpah/vexy/commit/b5b852955810082009a7c308f91d4a1284aa6368>>`\_)

## 6.6 v0.1.5 (2022-07-13)

### 6.6.1 Fix

- Release CI pipeline syntax error (``c0c7846`` <<https://github.com/madpah/vexy/commit/c0c78461c2e288825214640300917edfe24cb04f>>`\_)

## 6.7 v0.1.4 (2022-07-13)

### 6.7.1 Fix

- Remove date parsing from source BOM (``3d1e0d9`` <<https://github.com/madpah/vexy/commit/3d1e0d94917df6b4b32da06900c846e771720689>>`\_)

## 6.8 v0.1.3 (2022-07-13)

### 6.8.1 Fix

- Remove parsing of input BOM timestamp - we do not use it (``8b40f70`` <<https://github.com/madpah/vexy/commit/8b40f70487f20c4e21f72ed329330226082a31f3>>`\_)

## 6.9 v0.1.2 (2022-07-13)

### 6.9.1 Fix

- Pin ci to use python-semantic-release@v7.28.1 as newer breaks CI (``d1a1fe6`` <[## 6.10 v0.1.1 \(2022-07-13\)](https://github.com/madpah/vexy/commit/d1a1fe6f221fc9f557828188613c0e329a19a881</a>>`_)</li></ul></div><div data-bbox=)

### 6.10.1 Fix

- Typing broke some use cases (``5965816`` <<https://github.com/madpah/vexy/commit/59658165a2789b59d93a0e3844b35b5c5fe303dd>>`\_)
- Typing broke some use cases (``c766507`` <<https://github.com/madpah/vexy/commit/c766507bcc5a84f61b7371ba8dd1bc51526a0a77>>`\_)

## 6.11 v0.1.0 (2022-07-13)

### 6.11.1 Feature

- First alpha release supporting OSS Index as the sole data source (``650bf52`` <<https://github.com/madpah/vexy/commit/650bf521675524d7869ebc1b8d0ccc0d2175aab7>>`\_)



## API REFERENCE

This page contains auto-generated API reference documentation<sup>1</sup>.

### 7.1 vexy

#### 7.1.1 Subpackages

`vexy.sources`

**Submodules**

`vexy.sources.base`

**Module Contents**

**Classes**

<code>BaseSource</code>	Helper class that provides a standard way to create an ABC using
-------------------------	--

```
class vexy.sources.base.BaseSource(*, config: Dict[str, Any] | None = None)
    Bases: abc.ABC
    Helper class that provides a standard way to create an ABC using inheritance.
    property all_components: Set[cyclonedx.model.component.Component]
    property valid_components: Set[cyclonedx.model.component.Component]
    process_components(*, components: Iterable[cyclonedx.model.component.Component]) → None
    abstract get_vulnerabilities() → Set[cyclonedx.model.vulnerability.Vulnerability]
    abstract _component_complete_for_source(*, component: cyclonedx.model.component.Component)
                           → bool
```

Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

---

<sup>1</sup> Created with sphinx-autoapi

**Parameters**

**component** – Component

**Returns**

bool

**abstract \_configure\_source**(\*, config: Dict[str, Any]) → None

Perform any source specific configuration such as authentication.

**Parameters**

**config** – Dict[str, Any]

**Returns**

None

**abstract static source**() → cyclonedx.model.vulnerability.VulnerabilitySource

Instance that represents this data source.

**Returns**

VulnerabilitySource

**abstract static source\_name**() → str

Human-friendly name for this data source.

**Returns**

str

**abstract static source\_description**() → str

Human-friendly description of this data source.

**Returns**

str

**abstract static source\_ecosystems**() → Set[vexy.EcoSystem]

Which ecosystems this source has vulnerability data for.

**Returns**

Set[str]

**abstract static source\_url**() → str

Public URL for this data source

**Returns**

str

**vexy.sources.ossindex**

## Module Contents

### Classes

---

**OssIndexSource**

Helper class that provides a standard way to create an ABC using

---

---

```
class vexy.sources.ossindex.OssIndexSource(*, config: Dict[str, Any] | None = None)
```

Bases: `vexy.sources.base.BaseSource`

Helper class that provides a standard way to create an ABC using inheritance.

```
_component_complete_for_source(component: cyclonedx.model.component.Component) → bool
```

Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

**Parameters**

`component` – Component

**Returns**

bool

```
_configure_source(config: Dict[str, Any]) → None
```

Perform any source specific configuration such as authentication.

**Parameters**

`config` – Dict[str, Any]

**Returns**

None

```
get_vulnerabilities() → Set[cyclonedx.model.vulnerability.Vulnerability]
```

```
static source() → cyclonedx.model.vulnerability.VulnerabilitySource
```

Instance that represents this data source.

**Returns**

VulnerabilitySource

```
static source_name() → str
```

Human-friendly name for this data source.

**Returns**

str

```
static source_description() → str
```

Human-friendly description of this data source.

**Returns**

str

```
static source_ecosystems() → Set[vexy.EcoSystem]
```

Which ecosystems this source has vulnerability data for.

**Returns**

Set[str]

```
static source_url() → str
```

Public URL for this data source

**Returns**

str

`vexy.sources.osv`

## Module Contents

### Classes

<code>OsvSource</code>	Helper class that provides a standard way to create an ABC using
------------------------	--

`class vexy.sources.osv.OsvSource(*, config: Dict[str, Any] | None = None)`

Bases: `vexy.sources.base.BaseSource`

Helper class that provides a standard way to create an ABC using inheritance.

`get_vulnerabilities() → Set[cyclonedx.model.vulnerability.Vulnerability]`

`_component_complete_for_source(*, component: cyclonedx.model.component.Component) → bool`

Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

#### Parameters

`component` – Component

#### Returns

bool

`_configure_source(*, config: Dict[str, Any]) → None`

Perform any source specific configuration such as authentication.

#### Parameters

`config` – Dict[str, Any]

#### Returns

None

`static source() → cyclonedx.model.vulnerability.VulnerabilitySource`

Instance that represents this data source.

#### Returns

VulnerabilitySource

`static source_name() → str`

Human-friendly name for this data source.

#### Returns

str

`static source_description() → str`

Human-friendly description of this data source.

#### Returns

str

`static source_ecosystems() → Set[vexy.EcoSystem]`

Which ecosystems this source has vulnerability data for.

#### Returns

Set[str]

---

**static source\_url()** → str  
Public URL for this data source

**Returns**  
str

## vexy.sources.osvdb

### Module Contents

#### Classes

<b>OsvDbSource</b>	Helper class that provides a standard way to create an ABC using
--------------------	--

**class vexy.sources.osvdb.OsvDbSource(\*, config: Dict[str, Any] | None = None)**  
Bases: [vexy.sources.base.BaseSource](#)

Helper class that provides a standard way to create an ABC using inheritance.

**get\_vulnerabilities()** → Set[cyclonedx.model.vulnerability.Vulnerability]

**\_component\_complete\_for\_source(\*, component: cyclonedx.model.component.Component)** → bool  
Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

**Parameters**  
**component** – Component

**Returns**  
bool

**\_configure\_source(\*, config: Dict[str, Any])** → None  
Perform any source specific configuration such as authentication.

**Parameters**  
**config** – Dict[str, Any]

**Returns**  
None

**static source()** → cyclonedx.model.vulnerability.VulnerabilitySource  
Instance that represents this data source.

**Returns**  
VulnerabilitySource

**static source\_name()** → str  
Human-friendly name for this data source.

**Returns**  
str

**static source\_description()** → str  
Human-friendly description of this data source.

### Returns

str

**static source\_ecosystems()** → Set[vexy.EcoSystem]

Which ecosystems this source has vulnerability data for.

### Returns

Set[str]

**static source\_url()** → str

Public URL for this data source

### Returns

str

## Package Contents

### Classes

<i>BaseSource</i>	Helper class that provides a standard way to create an ABC using
<i>OssIndexSource</i>	Helper class that provides a standard way to create an ABC using
<i>OsvSource</i>	Helper class that provides a standard way to create an ABC using

### Attributes

---

*ALL\_SOURCES*

---

**class vexy.sources.BaseSource(\*, config: Dict[str, Any] | None = None)**

Bases: abc.ABC

Helper class that provides a standard way to create an ABC using inheritance.

**property all\_components: Set[cyclonedx.model.component.Component]**

**property valid\_components: Set[cyclonedx.model.component.Component]**

**process\_components(\*, components: Iterable[cyclonedx.model.component.Component]) → None**

**abstract get\_vulnerabilities()** → Set[cyclonedx.model.vulnerability.Vulnerability]

**abstract \_component\_complete\_for\_source(\*, component: cyclonedx.model.component.Component) → bool**

Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

### Parameters

**component** – Component

---

**Returns**  
bool

**abstract \_configure\_source**(\**config: Dict[str, Any]*) → None  
Perform any source specific configuration such as authentication.

**Parameters**  
**config** – Dict[str, Any]

**Returns**  
None

**abstract static source**() → cyclonedx.model.vulnerability.VulnerabilitySource  
Instance that represents this data source.

**Returns**  
VulnerabilitySource

**abstract static source\_name**() → str  
Human-friendly name for this data source.

**Returns**  
str

**abstract static source\_description**() → str  
Human-friendly description of this data source.

**Returns**  
str

**abstract static source\_ecosystems**() → Set[vexy.EcoSystem]  
Which ecosystems this source has vulnerability data for.

**Returns**  
Set[str]

**abstract static source\_url**() → str  
Public URL for this data source

**Returns**  
str

**class vexy.sources.OssIndexSource**(\**config: Dict[str, Any] | None = None*)  
Bases: [vexy.sources.base.BaseSource](#)

Helper class that provides a standard way to create an ABC using inheritance.

**\_component\_complete\_for\_source**(*component: cyclonedx.model.component.Component*) → bool  
Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

**Parameters**  
**component** – Component

**Returns**  
bool

**\_configure\_source**(*config: Dict[str, Any]*) → None  
Perform any source specific configuration such as authentication.

**Parameters**  
**config** – Dict[str, Any]

**Returns**

None

**get\_vulnerabilities()** → Set[cyclonedx.model.vulnerability.Vulnerability]

**static source()** → cyclonedx.model.vulnerability.VulnerabilitySource

Instance that represents this data source.

**Returns**

VulnerabilitySource

**static source\_name()** → str

Human-friendly name for this data source.

**Returns**

str

**static source\_description()** → str

Human-friendly description of this data source.

**Returns**

str

**static source\_ecosystems()** → Set[vexy.EcoSystem]

Which ecosystems this source has vulnerability data for.

**Returns**

Set[str]

**static source\_url()** → str

Public URL for this data source

**Returns**

str

**class vexy.sources.OsvSource(\*, config: Dict[str, Any] | None = None)**

Bases: `vexy.sources.base.BaseSource`

Helper class that provides a standard way to create an ABC using inheritance.

**get\_vulnerabilities()** → Set[cyclonedx.model.vulnerability.Vulnerability]

**\_component\_complete\_for\_source(\*, component: cyclonedx.model.component.Component)** → bool

Whether the given Component has enough data (the right fields) for us to query this data source for known vulnerabilities.

**Parameters**

**component** – Component

**Returns**

bool

**\_configure\_source(\*, config: Dict[str, Any])** → None

Perform any source specific configuration such as authentication.

**Parameters**

**config** – Dict[str, Any]

**Returns**

None

**static source()** → cyclonedx.model.vulnerability.VulnerabilitySource

Instance that represents this data source.

**Returns**

VulnerabilitySource

**static source\_name()** → str

Human-friendly name for this data source.

**Returns**

str

**static source\_description()** → str

Human-friendly description of this data source.

**Returns**

str

**static source\_ecosystems()** → Set[*vexy.EcoSystem*]

Which ecosystems this source has vulnerability data for.

**Returns**

Set[str]

**static source\_url()** → str

Public URL for this data source

**Returns**

str

**vexy.sources.ALL\_SOURCES: Dict[str, Type[*base.BaseSource*]]**

## 7.1.2 Submodules

**vexy.\_\_main\_\_**

**vexy.client**

### Module Contents

#### Classes

<i>_CLI_OUTPUT_FORMAT</i>	Generic enumeration.
<i>VexyCmd</i>	

## Functions

```
main(→ None)
```

---

## Attributes

```
_output_formats  
_output_default_filenames  
__ThisToolVersion  
ThisTool
```

---

```
class vexy.client._CLI_OUTPUT_FORMAT  
    Bases: enum.Enum  
    Generic enumeration.  
    Derive from this class to define new enumerations.  
    XML = 'xml'  
    JSON = 'json'  
  
vexy.client._output_formats: Dict[_CLI_OUTPUT_FORMAT, cyclonedx.schema.OutputFormat]  
vexy.client._output_default_filenames  
vexy.client.__ThisToolVersion: str | None  
vexy.client.ThisTool  
  
class vexy.client.VexyCmd(args: argparse.Namespace)  
    DEFAULT_CONFIG_FILE: str = '.vexy.config'  
    _DEBUG_ENABLED: bool = False  
    _arguments: argparse.Namespace  
    _attempt_source_config_load(config: io.TextIOWrapper) → None  
    get_cli_output_format() → _CLI_OUTPUT_FORMAT  
    _get_output_format() → cyclonedx.schema.OutputFormat  
    _is_quiet() → bool  
    execute() → None
```

```

_get_outputer(output_format: cyclonedx.schema.OutputFormat, bom: cyclonedx.model.bom.Bom) →
cyclonedx.output.BaseOutput

static get_arg_parser(*, prog: str | None = None) → argparse.ArgumentParser

_debug_message(message: str) → None

static _error_and_exit(message: str, exit_code: int = 1) → None

vexy.client.main(*, prog_name: str | None = None) → None

```

### 7.1.3 Package Contents

#### Classes

##### *EcoSystemType*

<i>EcoSystem</i>	Languages/ecosystems to the PURL type
------------------	---------------------------------------

#### Attributes

##### *\_ALL\_ECOSYSTEMS*

```

class vexy.EcoSystemType(*, name: str, purl_type: str, description: str)

    property name: str
    property purl_type: str
    property description: str

vexy._ALL_ECOSYSTEMS

class vexy.EcoSystem
    Bases: enum.Enum
    Languages/ecosystems to the PURL type
    Starting list taken from https://github.com/package-url/purl-spec/blob/master/PURL-TYPES.rst

BITBUCKET = 'BITBUCKET'

CARGO = 'CARGO'

COCOAPODS = 'COCOAPODS'

COMPOSER = 'COMPOSER'

CONAN = 'CONAN'

CONDA = 'CONDA'

```

```
CRAN = 'CRAN'  
DART = 'PUB'  
DEBIAN = 'DEB'  
DOCKER = 'DOCKER'  
FLUTTER = 'PUB'  
GENERIC = 'GENERIC'  
GITHUB = 'GITHUB'  
GO = 'GOLANG'  
HASKELL = 'HACKAGE'  
HEX = 'HEX'  
MAVEN = 'MAVEN'  
NPM = 'NPM'  
NUGET = 'NUGET'  
OCI = 'OCI'  
PYPI = 'PYPI'  
RPM = 'RPM'  
RUBY_GEM = 'GEM'  
SWIFT = 'SWIFT'  
get_info() → EcoSystemType
```

## PYTHON MODULE INDEX

### V

vexy, 17  
vexy.\_\_main\_\_, 25  
vexy.client, 25  
vexy.sources, 17  
vexy.sources.base, 17  
vexy.sources.ossindex, 18  
vexy.sources.osv, 20  
vexy.sources.osvdb, 21



# INDEX

## Symbols

\_ALL\_ECOSYSTEMS (*in module vvey*), 27  
\_CLI\_OUTPUT\_FORMAT (*class in vvey.client*), 26  
\_DEBUG\_ENABLED (*vvey.client.VexyCmd attribute*), 26  
\_\_ThisToolVersion (*in module vvey.client*), 26  
\_arguments (*vvey.client.VexyCmd attribute*), 26  
\_attempt\_source\_config\_load()  
    (*vvey.client.VexyCmd method*), 26  
\_component\_complete\_for\_source()  
    (*vvey.sources.BaseSource method*), 22  
\_component\_complete\_for\_source()  
    (*vvey.sources.OssIndexSource method*), 23  
\_component\_complete\_for\_source()  
    (*vvey.sources.OsvSource method*), 24  
\_component\_complete\_for\_source()  
    (*vvey.sources.base.BaseSource method*),  
    17  
\_component\_complete\_for\_source()  
    (*vvey.sources.ossindex.OssIndexSource method*), 19  
\_component\_complete\_for\_source()  
    (*vvey.sources.osv.OsvSource method*), 20  
\_component\_complete\_for\_source()  
    (*vvey.sources.osvdb.OsvDbSource method*), 21  
\_configure\_source()    (*vvey.sources.BaseSource method*), 23  
\_configure\_source()    (*vvey.sources.OssIndexSource method*), 23  
\_configure\_source()    (*vvey.sources.OsvSource method*), 24  
\_configure\_source()    (*vvey.sources.base.BaseSource method*), 18  
\_configure\_source()  
    (*vvey.sources.ossindex.OssIndexSource method*), 19  
\_configure\_source()    (*vvey.sources.osv.OsvSource method*), 20  
\_configure\_source()  
    (*vvey.sources.osvdb.OsvDbSource method*), 21  
\_debug\_message()    (*vvey.client.VexyCmd method*), 27  
\_error\_and\_exit()    (*vvey.client.VexyCmd static method*), 27  
  
\_get\_output\_format() (*vvey.client.VexyCmd method*),  
    26  
\_get\_outputer() (*vvey.client.VexyCmd method*), 26  
\_is\_quiet() (*vvey.client.VexyCmd method*), 26  
\_output\_default\_filenames (*in module vvey.client*),  
    26  
\_output\_formats (*in module vvey.client*), 26  
  
**A**  
all\_components (*vvey.sources.base.BaseSource property*), 17  
all\_components (*vvey.sources.BaseSource property*),  
    22  
ALL\_SOURCES (*in module vvey.sources*), 25  
  
**B**  
BaseSource (*class in vvey.sources*), 22  
BaseSource (*class in vvey.sources.base*), 17  
BITBUCKET (*vvey.EcoSystem attribute*), 27  
  
**C**  
CARGO (*vvey.EcoSystem attribute*), 27  
COCOAPODS (*vvey.EcoSystem attribute*), 27  
COMPOSER (*vvey.EcoSystem attribute*), 27  
CONAN (*vvey.EcoSystem attribute*), 27  
CONDA (*vvey.EcoSystem attribute*), 27  
CRAN (*vvey.EcoSystem attribute*), 27  
  
**D**  
DART (*vvey.EcoSystem attribute*), 28  
DEBIAN (*vvey.EcoSystem attribute*), 28  
DEFAULT\_CONFIG\_FILE (*vvey.client.VexyCmd attribute*),  
    26  
description (*vvey.EcoSystemType property*), 27  
DOCKER (*vvey.EcoSystem attribute*), 28  
  
**E**  
EcoSystem (*class in vvey*), 27  
EcoSystemType (*class in vvey*), 27  
execute() (*vvey.client.VexyCmd method*), 26

## F

FLUTTER (*vexy.EcoSystem attribute*), 28

## G

GENERIC (*vexy.EcoSystem attribute*), 28

get\_arg\_parser() (*vexy.client.VexyCmd static method*), 27

get\_cli\_output\_format() (*vexy.client.VexyCmd method*), 26

get\_info() (*vexy.EcoSystem method*), 28

get\_vulnerabilities() (*vexy.sources.base.BaseSource method*), 17

get\_vulnerabilities() (*vexy.sources.BaseSource method*), 22

get\_vulnerabilities() (*vexy.sources.ossindex.OssIndexSource method*), 19

get\_vulnerabilities() (*vexy.sources.OssIndexSource method*), 24

get\_vulnerabilities() (*vexy.sources.osv.OsvSource method*), 20

get\_vulnerabilities() (*vexy.sources.osvdb.OsvDbSource method*), 21

get\_vulnerabilities() (*vexy.sources.OsvSource method*), 24

GITHUB (*vexy.EcoSystem attribute*), 28

GO (*vexy.EcoSystem attribute*), 28

## H

HASKELL (*vexy.EcoSystem attribute*), 28

HEX (*vexy.EcoSystem attribute*), 28

## J

JSON (*vexy.client.\_CLI\_OUTPUT\_FORMAT attribute*), 26

## M

main() (*in module vexy.client*), 27

MAVEN (*vexy.EcoSystem attribute*), 28

module

    vexy, 17

    vexy.\_\_main\_\_, 25

    vexy.client, 25

    vexy.sources, 17

    vexy.sources.base, 17

    vexy.sources.ossindex, 18

    vexy.sources.osv, 20

    vexy.sources.osvdb, 21

## N

name (*vexy.EcoSystemType property*), 27

NPM (*vexy.EcoSystem attribute*), 28

NUGET (*vexy.EcoSystem attribute*), 28

## O

OCI (*vexy.EcoSystem attribute*), 28

OssIndexSource (*class in vexy.sources*), 23

OssIndexSource (*class in vexy.sources.ossindex*), 18

OsvDbSource (*class in vexy.sources.osvdb*), 21

OsvSource (*class in vexy.sources*), 24

OsvSource (*class in vexy.sources.osv*), 20

## P

process\_components() (*vexy.sources.base.BaseSource method*), 17

process\_components() (*vexy.sources.BaseSource method*), 22

purl\_type (*vexy.EcoSystemType property*), 27

PYPI (*vexy.EcoSystem attribute*), 28

## R

RPM (*vexy.EcoSystem attribute*), 28

RUBY\_GEM (*vexy.EcoSystem attribute*), 28

## S

source() (*vexy.sources.base.BaseSource static method*), 18

source() (*vexy.sources.BaseSource static method*), 23

source() (*vexy.sources.ossindex.OssIndexSource static method*), 19

source() (*vexy.sources.OssIndexSource static method*), 24

source() (*vexy.sources.osv.OsvSource static method*), 20

source() (*vexy.sources.osvdb.OsvDbSource static method*), 21

source() (*vexy.sources.OsvSource static method*), 24

source\_description()

    (*vexy.sources.base.BaseSource static method*), 18

source\_description() (*vexy.sources.BaseSource static method*), 23

source\_description()

    (*vexy.sources.ossindex.OssIndexSource static method*), 19

source\_description() (*vexy.sources.OssIndexSource static method*), 24

source\_description() (*vexy.sources.osv.OsvSource static method*), 20

source\_description()

    (*vexy.sources.osvdb.OsvDbSource static method*), 21

source\_description() (*vexy.sources.OsvSource static method*), 25

source\_ecosystems() (*vexy.sources.base.BaseSource static method*), 18  
 source\_ecosystems() (*vexy.sources.BaseSource static method*), 23  
 source\_ecosystems()  
     (*vexy.sources.ossindex.OssIndexSource static method*), 19  
 source\_ecosystems() (*vexy.sources.OssIndexSource static method*), 24  
 source\_ecosystems() (*vexy.sources.osv.OsvSource static method*), 20  
 source\_ecosystems()  
     (*vexy.sources.osvdb.OsvDbSource static method*), 22  
 source\_ecosystems() (*vexy.sources.OsvSource static method*), 25  
 source\_name() (*vexy.sources.base.BaseSource static method*), 18  
 source\_name() (*vexy.sources.BaseSource static method*), 23  
 source\_name() (*vexy.sources.ossindex.OssIndexSource static method*), 19  
 source\_name() (*vexy.sources.OssIndexSource static method*), 24  
 source\_name() (*vexy.sources.osv.OsvSource static method*), 20  
 source\_name() (*vexy.sources.osvdb.OsvDbSource static method*), 21  
 source\_name() (*vexy.sources.OsvSource static method*), 25  
 source\_url() (*vexy.sources.base.BaseSource static method*), 18  
 source\_url() (*vexy.sources.BaseSource static method*), 23  
 source\_url() (*vexy.sources.ossindex.OssIndexSource static method*), 19  
 source\_url() (*vexy.sources.OssIndexSource static method*), 24  
 source\_url() (*vexy.sources.osv.OsvSource static method*), 21  
 source\_url() (*vexy.sources.osvdb.OsvDbSource static method*), 22  
 source\_url() (*vexy.sources.OsvSource static method*), 25  
 SWIFT (*vexy.EcoSystem attribute*), 28

**T**

ThisTool (*in module vexy.client*), 26

**V**

valid\_components (*vexy.sources.base.BaseSource property*), 17  
 valid\_components (*vexy.sources.BaseSource property*), 22